

KWIKRACK

Our new Kwikrack offers a robust and cost effective storage solution for any application. The unique 6 fold channel beam offers shelf capacities of 300kgs with a shelf height of only 54mm. The design of the beam allows for an inset chipboard decking design with interlocking deck supports for a strong and robust shelf level.

The system is simple to erect, yet has all the strength you are likely to need. The bays just tap together with a rubber mallet so you can organise your storage in a fraction of the time it can take with more traditional systems. With a build time of just 10 minutes, large installations will be completed in no time at all.

- Easy to assemble and re-configure
 Build a bay in 10 minutes with a rubber mallet
- Will suit any application
 A versatile range, ideal for home, garage or industry
- **Best value shelving system**With shelf capacities of 300kgs at great prices



				The second secon	
Heights	Widths	Depths	Application	Construction	Loadings
Standard Bay Height (mm) 2000 Other Available Heights (mm) 2500 Uprights can be cut to a specific size	Widths (mm) 1000, 1200, 1500	Depths (mm) 300, 450, 600	Environment Warehouse, Storeroom, Workshop Usage Multipurpose Storage, Heavy & Bulky Items, Archiving	Uprights: Steel Blue RAL5010 Beams: Steel Galvanised Shelves/Decks Chipboard 12mm	Shelf UDL 200, 250, 300kg Max Bay Load up to 1500kgs

Industrial racking for any application



Three bay run of Kwikrack 2000 x 1000 x 450










Plan your layout

Nominal Bay Width (mm)	Clear Entry (mm)	Bay Width (mm)	Bay width with plastic feet (mm)	Bay width with metal feet (mm)
1000	920	1000	1011	1013
1200	1120	1200	1211	1211
1500	1420	1500	1511	1511

Nominal Bay Depth (mm)	Clear Entry (mm)	Bay Depth (mm)	Bay Depth with plastic feet (mm)	Bay Depth with metal feet (mm)
300	220	300	311	311
450	370	450	461	461
600	520	600	611	611

Overall Height = H + 5mm Shelf Pitch = every 33.33mm Clear opening between levels = Total Shelf Pitch - 54mm First shelf level = 90mm FFL Bay Capacity = 1500kgs



Kwikrack beam profile









	Wide Open Bays				+Add Extra Shelves		
	H x W x D (mm)	Bay Code	Shelf Load (kg)	Bay Price	Shelf Code	Additional Shelf Price	
W1000mm	2000x1000x300	KWB/20/10/03/5/BGV	300	£126.55	KWS/10/03/GV	£15.15	
	2000x1000x450	KWB/20/10/04/5/BGV	300	£151.30	KWS/10/04/GV	£20.10	
¥	2000x1000x600	KWB/20/10/06/5/BGV	300	£171.80	KWS/10/06/GV	£24.20	
E	2000x1200x300	KWB/20/12/03/5/BGV	250	£142.30	KWS/12/03/GV	£18.30	
W1200mm	2000x1200x450	KWB/20/12/04/5/BGV	250	£165.55	KWS/12/04/GV	£22.95	
N.	2000x1200x600	KWB/20/12/06/5/BGV	250	£188.55	KWS/12/06/GV	£27.55	
E	2000x1500x300	KWB/20/15/03/5/BGV	200	£169.55	KWS/15/03/GV	£23.75	
W1500mm	2000x1500x450	KWB/20/15/04/5/BGV	200	£202.05	KWS/15/04/GV	£30.25	
N N	2000x1500x600	KWB/20/15/06/5/BGV	200	£230.80	KWS/15/06/GV	£36.00	
			+For Taller Ba	ays Add Price			
	Extra Height			Code Price		Price	
	Rays 2500mm		V/A	VR/25/ / /5/RGV	/ /5/RG\/ £12.20		

